

#### Stephen R. Reed, Mayor • Harrisburg City Council



# City of Harrisburg Subdivision and/or Land Development Application

Project Name or Plan Title	
Primary Property Address	Tax Parcel ID Number
Please List All Property Addresses And Tax Parcel ID Numbers Involved In The Project (Use Additional Sheets If Necessary)	Zoning District(s)
Please explain the purpose of the project. Provide as much information and be as specific as possible. (Use Additional Sheets If Necessary)	Application Type (check one):    Preliminary Subdivision   Final Subdivision   Combined P/F Subdivision   Preliminary Land Development   Final Land Development   Combined P/F Land Development   Combined P/F Subdivision & LDP   Lot Add-On Plan   Planned Residential Development

#### Please provide the following information about this project:

1.) Square footage of non-residential buildings		sq. ft.
2.) Number of resulting lots		lots
3.) Number of buildings / units to be built	# of units	# of bldgs
4.) Is a new street proposed? (yes/no)	□ Yes	□ No
5.) What is the proposed name for the new street?		
6.) How many lineal feet will the proposed street be?	?	feet

What Waivers Are Being Requested? Use the attached checklist to determine the waivers you are requesting.					
Applicant	Applicant's Status				
Name	(Circle One)				
Company	Owner				
Address	Lessee				
	Equitable Owner				
Phone	Contract Purchaser				
Email					
Main Contact for the Project					
Name					
Company					
Address					
Phone					
Email					
Site Plan Designer					
Name					
Company					
Address					
Phone					
Email					

Property Owner			
Name			
Company			
Address			
Phone			
Email			
Items To Be Submitted With This Application	n.		
Failure to do so WILL delay the review process.			
□ Check made payable to the "City Treasurer" for the correct amount (see the fee schedule)	<ul> <li>Elevation drawings including all visible sides and façade materials</li> </ul>		
□ Dauphin County Planning Commission application	□ Landscaping Plan		
and fee (check made payable to "Dauphin County Planning Commission")	□ Lighting Plan		
☐ Twenty-one (21) copies of the plans: Four (4) sets of <b>24" x 36"</b>	□ Stormwater management plans		
Seventeen (17) sets of 11" x 17" or half size	□ Parking and circulation plan		
☐ Following the Planning Commission Meeting — Three (3) sets of 24" x 36" will be provided with any	☐ Traffic Study (if required by the City Engineer)		
corrections requested by the HPC or City Staff	☐ A D.E.P. Sewer Module or Waiver		
☐ Completed Checklist (use attached document)	If already submitted, please note the submittal date:		
APPLICANT / OWN	ER CERTIFICATION		
I hereby certify that the proposed work is authorized all applicable laws of this jurisdiction. I understand to penalties, or revocation of any permit pursuant to this prior to final approval.			
Applicant's Signature Date	. , ,		
The owner must sign this application. The applica	int signature is required when different from owner.		

## HARRISBURG LAND USE BOARDS / 2004 SCHEDULE

(All meetings take place in Room 213, City Government Center, unless otherwise noted.)

Meeting time: 6:00 P.M.

Harrisburg Architectural Review Board

	3			
Meeting Date (1 <sup>st</sup> Monday unless noted)	Application Submission <b>Deadline</b> (Friday)			
JANUARY 5	December 19, 2003			
FEBRUARY 2	January 23			
MARCH 8 (2 <sup>ND</sup> MONDAY)	February 20			
APRIL 12 (2 <sup>ND</sup> MONDAY)	March 26			
MAY 3	April 23			
JUNE 7	May 21			
JULY 12 (2 <sup>ND</sup> MONDAY)	June 25			
AUGUST 2	July 23			
SEPTEMBER 13 (2 <sup>nd</sup> Monday)	August 27			
OCTOBER 4	September 24			
NOVEMBER 8 (2 <sup>ND</sup> MONDAY)	October 29			
DECEMBER 6	November 24 (Wednesday)			
Deadline for January 3, 2005 meeting: December 17, 2004				

Harrisburg Planning Commission	Meeting time: <b>6:30 P.M.</b>
Meeting Date (1st Wednesday unless noted)	Application Submission <b>Deadline</b> (Friday)
JANUARY 7	December 12, 2003
FEBRUARY 4	January 9
MARCH 3	February 6
APRIL 14 (2 <sup>ND</sup> WEDNESDAY)	March 12
MAY 5	April 8 (Thursday)
JUNE 2	May 14
JULY 7	June 11
AUGUST 4	July 9
SEPTEMBER 1	August 13
OCTOBER 13 (2 <sup>ND</sup> WEDNESDAY)	September 10
NOVEMBER 3	October 8
DECEMBER 1	November 12
Deadline for January 5, 2005 meeting:	December 10, 2004

Zoning Hearing Board	Meeting time: <b>6:00 P.M</b> .		
Meeting Date (2 <sup>nd</sup> Monday unless noted)	Application Submission <b>Deadline</b> (Friday)		
JANUARY 12	December 12, 2003		
FEBRUARY 9	January 9		
MARCH 15 (3 <sup>RD</sup> Monday)	February 6		
APRIL 19 (3 <sup>RD</sup> Monday)	March 12		
MAY 10	April 8 (Thursday)		
JUNE 14	May 14		
JULY 19 (3 <sup>RD</sup> MONDAY)	June 11		
AUGUST 9	July 9		
SEPTEMBER 20 (3 <sup>rd</sup> Monday)	August 13		
OCTOBER 18 (3 <sup>rd</sup> Monday)	September 10		
NOVEMBER 15 (3 <sup>rd</sup> Monday)	October 8		
DECEMBER 13	November 12		
Deadline for January 10, 2005 meeting:	December 10, 2004		

# **Subdivision and Land Development Applications Fee Schedule**

	<b>Subdivision Fees</b>	<b>Land Development Fees</b>
Combined Preliminary/ Final Plan	\$175 + 25 per lot	\$175 + 25 per lot or 5,000 square feet of floor area
Preliminary Plan	Same as above	Same as above
Final Plan	\$150 + 25 per lot	\$150 + 25 per lot or 5,000 square feet of floor area
Lot Add-on	\$125	\$125
Revised Final Plan	\$100	\$100
Waiver	\$25 per waiver	\$25 per waiver

<sup>\*</sup>Should a public hearing be required, the applicant shall reimburse the City for the cost incurred for publication of legal notices, for any associated mailing costs, and for any stenographic services utilized for the hearing.

# **Dauphin County Planning Commission Application for Plan Review / Approval**

Municipality					_ Plat Title				
Surveryor					_ Engineer				
Plan Classification:	□ La	ubdivision and Develo ombined	pment		Preliminary Final P/F Minor				
Owner/Developer _					· · · · · · · · · · · · · · · · · · ·	Phone Number			
Address _									
Total Tract Area: _				Subdivide	d Area:		(Su	ıbdivision)	
				Develope	d Area:		(La	nd Develop	ı.)
Existing # of Lots: _		Pro	posed # of	Lots:		Proposed # of Nev	w Dwelling	Units:	<del> </del>
Existing Sewerage Sy	/stem	□ Public	□ On-Lot	□ None	Proposed	Sewerage System	□ Public	□ On-Lot	□ None
Existing Water System	m	□ Public	□ Well	□ None	Proposed	Water System	□ Public	□ On-Lot	□ None
Zoning District:						-			
Existing Land Use:		<del> </del>			Propose	d Land Use:			<del></del>
Are any zoning variar	nces/su	bdivision w	vaivers req	uested?	□ Yes	□ No			
List v	ariance	es/waivers	requested:	:					
Date plan to be review	wed by	Municipal	Planning C	Commissio	n:				
Purpose of the Plan:									
Fees Submitted: \$			Check Nu	umber	Sig	ned by:	1	Date:	
***The Dauphin Cour	ty Plan	ning Comr		eting is he					

plan submission is nine (9) days prior to the meeting.

Please submit this application and one (1) copy of the plan for review, or six (6) copies of the plan for approval to:

Dauphin County Planning Commission Veterans Memorial Office Building 112 Market Street, 8<sup>th</sup> Floor Harrisburg, PA 17101 (717) 234-2639

# DAUPHIN COUNTY SUBDIVISION AND LAND DEVELOPMENT PLAT FEE SCHEDULE

#### **REVIEWS**

The fee schedule for Subdivision and Land Development Plats submitted for Dauphin County Planning Commission Review and Comment action is as follows:

1. Separate Subdivision and Land Development Applications

#### Subdivision by Lots

\$70.00 base fee, plus \$2.00 per lot for first 25 lots, plus \$1.00 per lot over 25 lots.

#### Residential Land Development

\$70.00 base fee, plus \$2.00 per dwelling unit, for first 25 dwelling units, plus \$1.00 per dwelling unit over 25 dwelling units.

#### Non-Residential Land Development

\$70.00 base fee, plus \$2.00 per acre (or fraction thereof), first 10 acres, plus \$1.00 per acre (or fraction thereof), over 10 acres.

2. Combined Subdivision and Land Development Applications

#### Residential

\$70.00 base fee, plus \$2.00 per lot, first 25 lots, plus \$1.00 per lot over 25 lots, plus \$2.00 per dwelling unit, first 25 dwelling units, plus \$1.00 per dwelling unit over 25 dwelling units.

#### Non-Residential

\$70.00 base fee, plus \$2.00 per lot, first 25 lots, plus \$1.00 per lot over 25 lots, plus \$2.00 per acre (or fraction thereof) first 10 acres, plus \$1.00 per acre (or fraction thereof) over 10 acres.

All fees are to be paid by check, made payable to the "Dauphin County Planning Commission."

*Effective Date: 11/7/94 Revised: 9/22/99* 

#### CHAPTER 7-511

#### IMPROVEMENT AND CONSTRUCTION REQUIREMENTS

Section	7-511.1	Improvements Required
Section	7-511.2	Monuments and Markers
Section	7-511.3	Streets and Driveways
Section	7-511.4	Sewers and Water
Section	7-511.5	Surface Water Management
Section	7-511.6	Curbs
Section	7-511.7	Sidewalks
Section	7-511.8	Fire Hydrants
Section	7-511.9	Shade Trees
Section	7-511.10	Street Signs

#### **CROSS REFERENCES**

#### 7-511.1 IMPROVEMENTS REQUIRED

The applicant shall provide all improvements required by these regulations pursuant to the specifications for the improvements contained herein or in the City Engineering Specifications or in the Utilities and Public Services Code. (Ord. 23-1990.)

#### 7 -511.2 MONUMENTS AND MARKERS

- (a) Monuments must be set:
  - (A) at the intersections of all street right-of-way lines;
  - (B) at the intersection of lines forming angles in the boundaries of the Subdivision or Land Development;
  - (C) or at such intermediate points as may be required by the City Engineer.
- (b) Markers must be set:
  - (A) at all corners except those monumented;
  - (B) by the time the property is offered for sale.
- (c) Monuments and markers shall be the following sizes and made of the following materials:
  - (1) Monuments shall be six (6) inches square or four (4) i nches in diameter and shall be thirty-six (36) inches long. Monuments shall be made of concrete, stone, or by setting a four (4) inch cast or steel pipe filled with concrete.
  - (2) Markers shall be three-quarters (3/4) of an inch in diameter and thirty-six (36) inches long. Markers shall be made of iron or steel bars.

(d) Monuments and markers must be placed so that the scored or marked point coincides exactly with the point of intersection of the lines being monumented. They must be set so that the top of the monument or marker is level with the finished grade of the surrounding ground. Monuments must be marked on top with a copper or brass plate or dowel set in the concrete. (Ord. 23-1990.)


#### 7-511.3 STREETS AND DRIVEWAYS

- (a) Streets must be surfaced to the grades and dimensions drawn on the plans, profiles, and cross-sections submitted by the applicant and approved by the City Engineer. Before paving the street surface, the applicant must install the required utilities and provide, where necessary, adequate storm water drainage for the street acceptable to the City Engineer. The pavement base and wearing surface must be constructed in accordance with Pennsylvania Department of Transportation Publication 70 and material specifications in Form 408.
- (b) Driveway entrances or aprons within the street right-of-way shall be surfaced to their full width. The width of access roads or driveways shall be in accordance with the following standards:
  - (1) For multi-family residential, mobile home parks, and all Non-Residential Developments or subdivisions, access roads shall be no less than twenty-four (24) feet in width at the street line, and shall clearly be defined by the use of curbing.
  - (2) For Single Family Residential Subdivisions, driveways shall be no less than ten (10) feet in width and no greater than twenty (20) feet in width at the street line.
- (c) Where proposed driveways provide access onto a State Highway, the design of such driveway access and drainage shall be prepared in accordance with the requirements of the Pennsylvania Department of Transportation and shall be subject to the approval and issuance of permits by that Department.)
- (d) Where a driveway or access road gives access to a municipal street, approval by the City Engineer shall be required and a Highway Occupancy Permit obtained.

NEENAH FOUNDARY CO. (PATTERN NO. R-1970) (PATTERN NO. R-1971) OR APPROVED EQUAL.

STREET PAVEMENT

TOP FLUSH WITH PAVEMENT





# THE CITY OF HARRISBURG

OFFICE OF THE CITY ENGINEER

PROJECT: STANDARD MONUMENT DETAIL

DRAWN BY: MICHAEL J. HILTON

DATE: 25 SEPTEMBER 1996

SHEET:

D-23





# City of Harrisburg Subdivision and/or Land Development Checklist

Please use this checklist as a guide for submitting a Subdivision or Land Development Plan. The content of this checklist is drawn from Chapter 7-5 of the Subdivision and Land Development Code and will be used by the Planning Staff to evaluate your plans; however, it should not be used as a replacement for, or in lieu of the SALD Code. Applicants are encouraged to refer to the Code when preparing plans.

#### **DRAFTING STANDARDS**

	Provided	No / Waiver Requested	N/A	Ordinance	Standards
1				505.3(d)	Twenty-one (21) copies of the plans shall be submitted with the application. Four (4) sets shall measure 24" by 36" (required by Dauphin County Recorder of Deeds), and seventeen (17) sets shall measure 11" by 17" or half sheet size
2				505.3(b)	Dimensions shall be in feet and decimals; bearings shall be in degrees, minutes and seconds. Lot line descriptions shall read in a clockwise direction

All plans should include a cover sheet following the guidelines listed below. The preferred layout of the plan is represented in Figure 1.

#### **COVER SHEET**

	Provided	No / Waiver	N/A	Ordinance	Standards
	. rovidou	Requested	1	oranianio	Canada
3				505.4(1)	Title of the project
4				505.1(A&B) 505.4(3) 505.10(1)	Name, address, phone number of the owner of the tract, the developer/ subdivider, and the firm that prepared the plans
5				505.4(4) 505.10(1)	File Number assigned by the firm, the plan date, and the date(s) of all revisions
6				505.4(7) 505.10(1)	The total acreage of the tract or project
7				505.4(8) 505.10(1)	The district, setbacks, lot size and/or density requirements of the City's Zoning Ordinance
8				505.1(c)	A location map, relating the project area to its location in the City
9				505.6(12) 505.10(8)(I)	A statement on the Plan indicating that all zoning approvals have been obtained
10				505.6(13) 505.10(8)(m)	A statement on the Plan indicating any existing or proposed waivers have been granted by City Council
11				505.10(8)(o)	A source of title to the land, as shown by book of the Dauphin County Recorder of Deeds (for Final Plans)
12				505.7(e) 505.10(9) (f)(i)	Certification of the engineer, surveyor or landscape architect, to the effect that the plans are accurate (See Appendix No. 1 in the SD/LD Code)
13				505.7(e) 505.10(9) (f)(iii)	Signature block as it will appear on the Final Plan (See Appendices No. 2 A to 2-C and No. 3 A to 3 B)
14				505.10(9) (f)(iv)	Notation space to accommodate the Dauphin County Recorder of Deeds information (including Plan Book, Volume and Page)




Figure 1

#### BASIC PLAN REQUIREMENTS

	Provided	No / Waiver Requested	N/A	Ordinance	Standards
15				505.9(1) 505.10 (11)(A)	Check or money order made out to "City of Harrisburg Treasurer" in an amount specified on Subdivision/Land Development Fee Schedule
16				505.9(2) 505.10 (11)(B)	Check made out to Dauphin County Planning Commission in an amount specified on Subdivision/Land Development Fee Schedule
17				505.4(2)	Location of any municipal boundary line (if applicable)
18				505.4(5)	A north arrow, a graphic scale and a written scale
19				505.4(6)	The entire existing tract boundary with bearings and distances
20				505.4(7)	The total acreage of each tract involved with the project
21				505.4(9)	The location of existing lot line markers along the perimeter of the existing tract
22				505.4(10)	A location map, relating the project site to at least 2 intersections of street centerlines
23				505.4(11)	Property address(es) as assigned by the City's Registrar of Real Estate
24				505.5(1) 505.10(3)	Existing contours, at an interval of 2 feet for land with an average slope of four percent (4%) or less and at a minimum vertical interval of 5 feet for more steeply sloping land
25				505.5(2) 505.10(4)	Names of all adjacent landowners and the names and plan book numbers of all recorded plans for adjacent projects
26				505.10(5)	Location of historic structures, wetlands, unbuildable portions of the site, or other significant features
27				505.6(1) 505.10(8)(A)	Layout of streets, alleys, sidewalks, including cartway and rights-of-way widths. For Final Plans this shall include distances and bearings, with curve segments comprised of radius, tangent, arc and chord
28				7-505.6(2)	Lot lines, with accurate bearings and distances and lot areas for

		505.10(8)(B)	all parcels
29		505.6(3) 505.10(8)(C)	Block and lot numbers in consecutive order
30		505.6(5) 505.10(8)(E)	Total number of lots, units of occupancy, density, and proposed land use
31		505.6(6) 505.10(8)(F)	Easements, rights-of-way
32		505.6(7) 505.10(8)(G)	Building setback lines with distances from front, rear and side yard property lines
33		505.6(8) 505.10(8)(H)	Identification of buildings to be demolished
34		505.6(9) 505.10(8)(I)	Typical cross section of each street <b>proposed</b> or to be <b>improved</b> as part of the application. Cross section shall include entire right-of-way width
35		505.6(14) 505.10(8)(N)	Street Names
36		505.10(8)(P)	Location and material of all permanent monuments and lot line markers, noting that all monuments and markers are set, or indicating when they will be set (for Final Plans)
37		505.10(8)(R)	Identification of any lands to be dedicated
38		505.7(c)(4) 505.10(9)(D) (iv) 507.7(1)(c)	Provide a Landscaping Plan

	Provided	No / Waiver	N/A	Ordinance	Standards
	Flovided		IN/A	Ordinance	Statiualus
		Requested			
39				505.5(3)(A)	Approximate location and name of existing rights-of-way and
				505.10(6)(A)	
				000.10(0)(/1)	cartways for streets, access drives and service streets
40				505.5(3)(B)	Sanitary Sewer mains
. •			Ш	505.10(6)(B)	Carmary Cower mame
41				505.5(3)(B)	Water supply mains
41					Water Supply mains
				505.10(6)(B)	
42				505.5(3)(B)	Fire hydrants
				505.10(6)(B)	,
43				505.5(3)(D)	Storm water management facilities which effect storm water
70				505.10(6)(C)	
				303.10(0)(0)	runoff on the site. Include the size, capacity and condition of
					existing storm water management system
					Chisting Storm water management system

The following when located within the site:

	Provided	No / Waiver	N/A	Ordinance	Standards
		Requested			
44				505.5(4)(A) 505.10(7)(A)	The location, name, and dimensions of existing rights-of-way and cartways for streets, access drives, driveways, and service streets
45				505.5(4)(A) 505.10(7)(B)	Sanitary sewer mains
46				505.5(4)(A) 505.10(7)(B)	Water supply mains
47				505.5(4)(A) 505.10(7)(B)	Fire hydrants
48				505.5(4)(A) 505.10(7)(B)	Buildings
49				505.5(4)(D) 505.10(7)(B)	Storm water management facilities
50				505.5(4)(C) 505.10(7)(C)	The location of existing rights-of-way for electric, gas, and oil transmission lines and railroads
51				505.5(4)(D) 505.10(7)(D)	The size, capacity and condition of the existing storm water management system

**Certificates and Notifications** 

	Provided	No / Waiver	N/A	Ordinance	Standards
		Requested			
52				505.7(b) 505.10(9)(B)	Correspondence from the owner or lessee of any electric transmission lines, gas pipelines, or petroleum projects transmission lines, located within the tract, stating any conditions on the use of the land and the minimum building setback and/or right-of-way line
53				505.7(d) 505.10(9)(E)	Traffic Impact Study, if required by City Engineer
54				505.10(9)(A)	Notification of approval from PA D.E.P. for any storm water management facilities that effect an existing watercourse or have an upland drainage area greater than one-half mile; or that no approval is required
55				505.10(9)(J)	For plans which require access to a State Highway, the inclusion of the following plan note: "A Highway Occupancy Permit is required pursuant to Section 420 of the Act of June 1, 1945 (P.L. 1242, No. 428), known as the "State Highway Law", before driveway access to a State Highway is permitted. Access to the State highway shall only be as authorized by a Highway Occupancy Permit, and City Council's/Planning Commission's approvals of this plan implies that such permit can be acquired."

**Natural Features Preservation** 

Ivat	atural reatures rreservation						
	Provided	No / Waiver Requested	N/A	Ordinance	Standards		
56				507.7(1)(A)	Trees with a caliper of six inches (6") or more, measures at a height of 4 1/2 feet above grade, are to be retained, if not within proposed cartway, or sidewalk portion of street right-of-way, or within 15 feet of a proposed building		
57				507.7(1)(B)	Where existing trees are removed along the street right-of-way, supplemental plantings required		
58				507.7(2)(A)	Maintenance easement provided along all stream, river banks and lake edges. Minimum width of easement to be 25 feet		
59				507.7(2)(B)	Water frontage to be preserved as open space whenever possible		
60				507.7(2)(C)	Access to be provided to the water and to maintenance easement area. Width of access points to be minimum of fifty feet		
61				507.7(3)	Existing terrain to be preserved when possible. Cut and fill to be kept to a minimum		

#### ADDITIONAL SUBDIVISION AND LAND DEVELOPMENT REQUIREMENTS

	Provided	No / Waiver	N/A	Ordinance	Standards
		Requested			
62				505.7(f)	For Preliminary Plan calling for installation of improvements
	Ш	Ц			beyond two years, a schedule of the timing of the improvements
63				505.10(9)(A)	Notification from PA D.E.P. that either approval of the Sewer Facility Plan Revision or Supplement has been granted or that such approval is not required (Plan Revision Modular for Land Development)
64				505.10(8)(D)	For Land Development Plans, the location and configuration of proposed buildings, parking compounds, streets, access drives, driveways, and all other significant planned facilities
65				505.10(8)(Q)	For Land Development Plans, a grading plan, which shall

		T	ı	T	,				
					include finished grades and ground floor elevations (may be				
				505 40(0)(11)	provided on separate sheets, need not be recorded)				
66				505.10(9)(H)	Approval from the City Solicitor of the Improvement Construction Guarantee				
	Land Development Plans must include drawings of the proposed development showing:								
	Provided	No / Waiver	N/A	Ordinance	Standards				
67		Requested		505.7(c)(4)	Landscape Plan showing treatment of private and common open				
01				505.10(9)(D) (iv) 507.7(1)(c)	space, the perimeter of the site, and elevation drawings highlighting the landscaping				
68				505.7(c)(1) 505.10(9)(D) (i)	Elevation of all visible sides, including facade materials				
69				505.7(c)(2) 505.10(9)(D) (ii)	Location and floor area of all existing and proposed buildings, structures, and other improvements, including height, types of units and uses				
70				505.7(c)(3) 505.10(9)(D) (iii)	Details of significant architectural features				
71				505.7(c)(5) 505.10(9)(D) (v)	Vehicular and Pedestrian Circulation Plan, including parking, service areas, waiting areas, major access points				
72				505.7(c)(6) 505.10(9)(D) (vi)	Lighting, screening, drainage and dimensions of all off-street parking areas				
		•	•		·				
		of the Utility y sewer, storr			clude the size, material, and vertical and horizontal locations of mains:				
	Provided	No / Waiver	N/A	Ordinance	Standards				
		Requested							
73				505.10(8) (K)(i)	Include all calculations, assumptions, criteria and references				
				()(-)	used in the design of stormwater management facilities, the establishment of existing facilities capacities, and the pre and				
					post development discharge				
74				505.10(8) (K)(ii)	All plans and profiles of the proposed storm water management facilities				
75				505.10(8)	For all basins, a plotting or tabulation of the storage volumes				
				(K)(iii)	and discharge curves with corresponding water surface				
					elevations, inflow hydrographs, and outflow hydrographs				
76				505.10(8) (K)(iv)	Guidelines for lot grading within the subdivision, identifying the				
				()()	direction of stormwater runoff within each lot, and the areas where runoff will be concentrated (show using topographic data)				
77				505.10(8)	Soil characteristics report and information on erosion and				
				(K)(v)	sediment control from the Dauphin County Soil and Water				
					Conservation District				
Bloc		No / Mairra	NI/A	Ordinana	Ctandarda				
	Provided	No / Waiver Requested	N/A	Ordinance	Standards				
78				507.4(b)	Blocks shall not exceed 750 feet and must be compatible with the				
79				507.4(c)	City's existing grid system  Residential blocks should be of sufficient depth to accommodate				
13				'(-)	2 tiers of lots				
Lots	6								
	Provided	No / Waiver	N/A	Ordinance	Standards				
80		Requested		507.5(a)(1)	Size, depth, width and orientation of lots shall conform to City				
04				507 5(0)(2)	Zoning requirements				
81				507.5(a)(2)	Side lot lines should be at right angles to straight street lines or				

				radial to curved street lines, if practical
82			507.5(a)(3)	Where feasible lot lines should follow municipal boundaries rather
		Ш		than cross them
83			507.5(a)(4)	Remnants of land shall be incorporated into existing or proposed
	Ш			lots
84			507.5(b)(1)	All lots shall abut a street, existing or proposed
85			507.5(b)(2)	Double or reverse frontage lots shall be avoided
86			507.5(d)	Nonresidential lots shall provide adequate space for yards, off-
				street loading and unloading and for parking

**Building Design Guidelines** 

	Provided	No / Waiver	N/A	Ordinance	Standards
		Requested			
87				507.6(1)	Compatibility with existing structures
88				507.6(2)	Design incorporates architectural details found on adjacent
					buildings
89				507.6(3)	Building materials reflect surrounding development

### STREETS, ACCESS STREETS, AND DRIVES ADDITIONAL REQUIREMENTS

	Provide	No / Waiver	N/A	Ordinance	Standards
	d	Requested			
90				505.6(9)	Typical cross section of each street proposed or to be improved
				505.10(I)	as part of the application. Cross section shall include entire
					right-of-way width
91	П	П	П	505.6(10)	Street centerline profile for each proposed street shown on the
					plan
92	П	П	П	505.6(1)	Sketch of future street system, where Preliminary Plan covers
				505.7(a)	only a part of the entire landholdings
93	П	П	П	505.10(9)(C)	Notice from postmaster that the proposed street names are
				505.40(0)(1)	acceptable
94	П	П		505.10(9)(I)	Maintenance agreement for street which is not to be offered for
	]			507.0(-)(5)	dedication
95				507.2(a)(5)	Street arrangement provides for continuation of streets in
		_		F07.0(=)(F)	adjoining areas
96				507.2(a)(5)	Provide for proper projection of streets where adjoining areas
97				507.2(a)5)	are not subdivided  New streets carried to the boundaries of the tract to be
97				307.2(a)3)	subdivided
98				507.2(a)(7)	Residential alleys are discouraged, unless site design calls for
90				007.2(4)(7)	rear access parking. 22 foot minimum width if used
99				507.2(a)(7)	Adequate alleys or off-street loading and unloading required in
33				(4)(1)	commercial or industrial areas
100	П	П	П	507.2 (c)(1)	Cartways to be minimum of 11 foot travel lanes
101				507.2(c)(3)	Minimum street rights-of-way and cartway widths shall be:
101				( )( )	with an out of the or way and outway with on on our
					STREET TYPE R-O-W WIDTH CARTWAY
	_	_	_		Arterial determined by governing body after
					consultation with PennDOT
					Collector 60 feet 22 feet
					Local 50 feet 22 feet
					Alley/service drive 30 feet 22 feet
102				507.2(d)(3)	Permanent dead-end streets not longer than 500 feet and
				507.2(d)(5)	provided with a cul-de-sac, having minimum outside road
					diameter of 80 feet
103				507.2(e)(3)	Tangents between curves according to Engineering

				specifications
104			507.2(f)(1)	Centerlines of streets intersect as nearly to 90 degrees as
				possible, but not less than 75 degrees, or more than 105
				degrees
105			507.2(f)(2)	Intersections involving the junction of more than two streets are
				prohibited
106			507.2(f)(3)	Street jogs with centerline off-sets of less than 125 feet avoided
107			507.2(f)(5)	Intersections with major streets shall be located not less than
				800 feet apart
108			507.2(h)	Street grades in accordance with Engineering specifications
109			505.6(14)	New street names shall not duplicate existing names
110			507.2(j)(1)	Direct access from residential lots to arterials shall be avoided
111			507.2(j)(2)	Driveways on corner lots shall be located 40 feet from the point
				of intersection of the nearest street right-of-way
112			507.2(j)(3)	Access roads/driveways shall be: No less than 24 feet in width
			(A)	for multi-family residential, and all non-residential development
113			507.2(j)(3)	Access roads/driveways shall be no less than 10 feet for single
			(B)	family residential subdivisions, and no greater than 20 feet at the
				street line
114			507.2(j)(5)	Grade on access road/driveway shall not exceed 8% on arterial
	Ш		(A&B)	and 10% on collector or minor street

#### EASEMENT REQUIREMENTS

	Provide	No / Waiver	N/A	Ordinance	Standards
	d	Requested			
115				507.3(a)(1)	Minimum width shall be twenty feet (20 ft)
116				507.3(a)(2)	When possible, easements shall be centered on the side or rear
		Ш			lot lines or along the front lot lines
117				507.3(b)	If subdivision is traversed by a water course or drainageway, an
					easement shall be provided conforming with the line of such
					water course or drainageway

### **CONDOMINIUM PROJECT REQUIREMENTS**

	Provide	No / Waiver Requested	N/A	Ordinance	Standards
	d	Requested			
118				505.8(4)	Floor plans for all buildings
119			]	505.8(3)	Statement of proposed use for each unit and restrictions on use,
					if any
120				505.8(2)	Description of common elements, with allocation of the
					proportionate undivided interest expressed as a percentage
					assigned to each unit
121				505.8(1)	Statement of intent to submit the property to the provisions of the
					Unit Property Act, Act 117 of 1963, as amended (Preliminary
					Plan)
122				505.10(10)	Declaration, Declaration Plan and Code of Regulations required
					by the Unit Property Act, Act 117 of 1963 as amended (Final Plan
					- may be provided on a separate sheet)